




Tube Series

Thermal Imaging Riflescopes


TL35



Reticle
Catalogue



Reticle Parameters




Tube Series
Thermal Imaging Rifle Scope

	MOA	cm @100m
Model	TL35	TL35
Section A	6.5	18.85
Section B	6.5	18.85
Section C	0.6	1.7



Reticle Parameters




Tube Series

Thermal Imaging Riflescope

Model	MOA	cm @100m
	TL35	TL35
Section A	6.5	18.85
Section B	6.5	18.85
Section C	0.6	1.7
Section D	63.7	185.1
Section E	3.5	10.3



Reticle Parameters




Tube Series

Thermal Imaging Riflescope

	MOA	cm @100m
Model	TL35	TL35
Section A	0.6	1.7
Section B	53.1	154.26
Section C	28.3	82.27
Section D	2.95	8.57




Reticle Parameters




Model	MOA	cm @100m
	TL35	TL35
Section A	6.5	18.85
Section B	6.5	18.85
Section C	0.6	1.7
Section D	3.5	10.3
Section E	74.3	215.96
Section F	35.4	102.84
Section G	2.95	8.57

Tube Series
Thermal Imaging Riflescope



Reticle Parameters





Model	MOA	cm @100m
TL35		
Section A	6.5	18.85
Section B	6.5	18.85
Section C	0.6	1.7
Section D	50.1	145.69
Section E	84.3	245.1
Section F	0.6	1.7

Tube Series
Thermal Imaging Riflescope



• **SCALABLE** •

Reticle Parameters
(Apply to all magnifications)



Model	MOA	cm @100m
TL35		
Section A	6.5	18.85
Section B	6.5	18.85
Section C	0.6	1.7
Section D	3.54	10.28
Section E	3.54	10.28
Section F	28.3	82.27
Section G	21.23	61.7
Section H	2.95	8.57

Tube Series
Thermal Imaging Riflescope